

"Leda" bracelet

Japanese seed beads and Rulla beads bracelet



Material:

Matubo Rulla beads (124 pcs)
15/0 Japanese seed beads (approx. 1 gram)
11/0 Japanese seed beads (approx. 7 grams)
Matubo 8/0 beads (2 pcs)
3mm firepolished beads (22 pcs)
Jump rings
Clasp
Beading needle and thread (Nymo, Fireline)

Difficulty: intermediate / advanced

Technique: right angle weave / peyote stitch


1 | Design and tutorial by Nela Kábelová (www.gianelle.beadforum.cz) Autorem tohoto designu a návodu je Nela Kábelová (www.gianelle.beadforum.cz)



1) String four Rullas and slide them to the end of the thread.




6) Repeat steps 4 and 5 two more times.



2) Tie a square knot to form a square, then align all the Rullas to face the same direction. Then pass through the lower hole of the nearest Rulla.



7) Then add three 11/0s and pass through the lower hole of the same Rulla you passed through in step 2 ...





8) ... and then pass through the next 11/0.



4) Then pass through the lower hole of the first new Rulla.



9) Add one 11/0. Skip one 11/0 and then pass through the next 11/0, Rulla (lower hole) and one more 11/0.




5) This is the shape you should get ...



10) Repeat step 9 until you reach the end of the row. At the end of the row pass through the three beads in the corner and also through the first 11/0 from this row.


2 | Design and tutorial by Nela Kábelová (www.gianelle.beadforum.cz) Autorem tohoto designu a návodu je Nela Kábelová (www.gianelle.beadforum.cz)




11) Add one 11/0 and pass through the upper hole of the next Rulla.



16) Now we have to connect the upper holes of the four Rullas in the corner. Pass through the upper hole of the next Rulla ...



12) Add one 11/0 and pass through the next 11/0 from the previous row.




17) and through the next one ...



13) Repeat steps 11 and 12 ...



18) ... and the next one ...



14) ... until you reach the end of the row. At the end of the row add the last 11/0, pass through the last 11/0 from the previous row and then through the next 11/0, Rulla and 11/0.



19) ... and through the first one and also through the next 11/0.




15) Add one 11/0 and then pass through the next 11/0 from the previous row and also through the upper hole of the next Rulla.



20) Repeat steps 15 - 19 until you reach the end of the row.



21) At the end of the row pass through the first 11/0 from this row.



26) Repeat step 25 until you reach the end of the row.




22) Add three 11/0s and then pass through the next 11/0 from the previous row.



27) Now the first component is finished.



23) Repeat step 22 ...



28) Now weave through beads to get to the lower hole of one of the Rullas in the corner (like shown in the photo). The four Rullas you are exiting right now work as the "base" group for the second component.




24) ... until you reach the end of the row. At the end of the row pass through the last 11/0 from the previous row and also through the first two 11/0s from this row. The thread should exit from the "middle" bead from the first group of three.




29) Repeat steps 3, 4 and 5



25) Add one 15/0 and then pass through the middle bead from the next group of three.



30) Then repeat step 6...




31) ... and step 7 until you finish the base of the second component.



36) Then repeat steps 22 - 28 ...



32) Repeat steps 8, 9 and 10 ...



37) ... until the second component is finished. The thread should exit from the lower hole of the Rulla at the end of the new component.



33) Then repeat steps 11,12, 13 and 14 ...



38) Keep adding new components until you reach the desired length. 9 components will give you a bracelet 17 centimeters long.



34) ... and then repeat steps 15 - 21 ...



39) Weave through beads to get to the upper hole of the "side" Rulla at the end of the bracelet. Add three 11/0s, one 8/0 and three 11/0s and then pass through the upper hole of the next "side" Rulla.



35) ... until you reach the end of the row.




40) Pass back through the lower hole of the same Rulla.

5 | Design and tutorial by Nela Kábelová (www.gianelle.beadforum.cz) Autorem tohoto designu a návodu je Nela Kábelová (www.gianelle.beadforum.cz)



41) Add three 11/0s and pass through the 8/0.



46) Add one 15/0, one 11/0, one 3m FP, one 11/0 and one 15/0 and pass through the nearest Rulla in the next component (as shown in the photo).



42) Add three 11/0s and pass through the lower hole of the Rulla you exited at the beginning of step 39.



47) Repeat steps 44, 45 and 46, until you reach the last component.



43) Add one 15/0, one 3mm FP and one 15/0 and then pass through the lower hole of the nearest Rulla in the next corner (as shown in the photo)



48) Add one 15/0, one 3mm FP and one 15/0 and pass through the "side" Rulla at the other end of the bracelet.




44) Add one 15/0 and pass through the lower hole of the next Rulla.



49) Now the thread exits the lower hole of the "side" rulla at the other end of the bracelet. Add three 11/0s, one 8/0 and three 11/0s and then pass through the lower hole of the next "side" Rulla.



45) Add one 15/0 and pass through the lower hole of the next Rulla.



50) Pass back through the upper hole of the same Rulla.



51) Add three 11/0s and pass through the 8/0. Then add three more 11/0s and pass through the upper hole of the same Rulla you exited in beginning of step 49.

Then pass back through the lower hole of the same Rulla, through three 11/0s, one 8/0, three 11/0s and through the lower hole of

the Rulla from the beginning of this step (so you can continue with decorating the bracelet on the other side)



56) ...and step 48 ...



52) Repeat step 43 ...




57) ... until you reach the end of the bracelet. Tie a few half-hitch knots and cut off all the remaining thread.



53) ... and step 44 ...



58) Use jump rings to add a clasp.



55) ... and steps 46 and 47 ...





7 | Design and tutorial by Nela Kábelová (www.gianelle.beadforum.cz) Autorem tohoto designu a návodu je Nela Kábelová (www.gianelle.beadforum.cz)